



BEARING PRECISION AXLE CORP.



KR18X40X64.5 Cam Follower / Printing Machine Bearing 18x40x64.5mm

Bearing No. UC207-107D1

UC207-107D1 Bearing 2D drawings and 3D CAD models

| | |
|----------------------|--|
| Category | Insert Bearings Spherical OD |
| Inventory | 0.0 |
| Manufacturer Name | NTN |
| Minimum Buy Quantity | N/A |
| Weight | 0.46 |
| EAN | 4547359231977 |
| Product Group | M06110 |
| Inner Race Profile | Wide Inner Ring |
| Outer Race Profile | Spherical |
| Relubricatable | Yes |
| Seal Type | Single Lip Land Riding |
| Mounting Method | Set Screw |
| Rolling Element | Ball Bearing |
| Snap Ring | No |
| Long Description | 1-7/16" Bore; Wide Inner Ring; Ball Bearing; 1.689" Length Thru Bore; 0.787" Outer Race Width; 2.835" Outside Diameter; Relubricatable; Single Lip Land Riding Seal; Set Screw Mount |
| Inch - Metric | Inch |
| Other Features | Single Row Light Duty Steel Cage Has Flinger |
| Category | Insert Bearings |
| UNSPSC | 31171536 |
| | |



BEARING PRECISION AXLE CORP.

| | |
|-------------------------------|---|
| Harmonized Tariff Code | 8482.10.50.00 |
| Noun | Bearing |
| Keyword String | Insert |
| Manufacturer URL | http://www.ntnamerica.com |
| Manufacturer Item Number | UC207-107D1/LP03 |
| Weight / LBS | 1.01 |
| d | 1.438 Inch 36.525 Millimeter |
| D | 2.835 Inch 72.009 Millimeter |
| D | 1.689 Inch 42.901 Millimeter |
| Outer Race Width | 0.787 Inch 19.99 Millimeter |
| bore diameter: | 1.4375 in |
| fillet radius: | 0.0591 in |
| outside diameter: | 2.8346 in |
| radial dynamic load capacity: | 5800 lbf |
| outer ring width: | 0.7874 in |
| radial static load capacity: | 3450 lbf |
| inner ring width: | 1.6890 in |
| bearing material: | Through Hardened Steel |
| bore type: | Round |
| finish/coating: | Uncoated |
| locking device: | Set Screw Collar |
| maximum rpm: | 4200 RPM |
| duty type: | Standard Duty |
| seal type: | Contact |
| overall width: | 1.6890 in |
| series: | UC2 |
| operating temperature range: | -40 to 250 ° F |
| | |



BEARING PRECISION AXLE CORP.

manufacturer product page:

[Click here](#)